

Product Catalogue



Floor Protection
Temporary Screening
Stair Protection
Window & Door Protection
Custom Printing Service
Surface Protection
External Protection
Traditional Products
Adhesive Tapes

Version 16



353-1-830 0770





About Protecta Screen™

Protecta Screen[™] are the UK's leading supplier of temporary protection materials to the construction industry, providing the sector's top solutions to protecting building sites from damage at competitive prices.

We supply some of the largest construction companies in the world with the products they need to ensure both themselves and their customer's assets are protected from likely damage during the construction process, eliminating the risk of loss of time, money and disputes in the workplace. Don't put it to risk; make sure your site is protected.

Product Properties



Water Resistant/ Waterproof



Self Adhesive





We offer the following services:

OUT OF HOURS DELIVERY

FREE PRODUCT SAMPLES FREE TECHNICAL SUPPORT

NATIONWIDE SITE VISITS

BULK PURCHASE OFFERS

CREDIT CARDS WELCOME

ON-LINE ORDERING

CUSTOM PRINTING AVAILABLE

INSTANT ACCOUNT FACILITIES

Custom Printed

NEXT DAY NATIONWIDE DELIVERY SERVICE

SAME DAY NATIONWIDE DELIVERY SERVICE

REGIONAL/NATIONAL AGREEMENT OFFERS



Recycled & Recyclable (R&R)

Contents



Floor Protection P3-22



Window & Door Protection **P42-50**



External Protection **P63-70**



Temporary Screening **P23-30**



Custom Printing Service **P51-53**



Traditional Products **P71-76**



Stair Protection **P31-41**



Surface Protection **P54-62**



Adhesive Tapes **P77-81**



Floor

FLOOR PROTECTION OPTIONS



Protection

A temporary floor covering is paramount to prevent expensive damage to floors during a variety of projects such as construction, renovation, decorating or moving home. Floor protection doesn't have to be limited to standard floor coverings; each situation has its own unique requirements and our range of products have the features to support a variety of circumstances.

These features include; Fire Resistance, Breathability, Water Resistance, Adhesive Properties, Anti-Slip and much more. Temporary floor protection is available in a range of different materials such as plastic film, corrugated board and "roll out" floor protection of various materials to suit a variety of applications. Unsure on the best floor protection product for your floor type? Use the guide below to help you choose.

PRODUCT	Impact Resistant	Reusable	Water Resistant	Anti-slip	Self Adhesive	Flame Retardant Option	Custom Printing Available
Protecta Board ™	V	V	V			V	¥
Protecta Carpet ™			V		>	>	>
Carpet Safe FR ™ & Carpet Safe ™			V	V	>	V	>
Protecta Shield ™		V	V	V		V	
Breather-Poly FR ™		V		V		>	
Protecta Grip™		V	V	V			
Protecta Floor ™	V	V	V	V			
Recyclo Card ™	V	V	V				
Recyclo Board ™	V	V	V				>
MultiGuard ™	V	V	V	V	V		
Floor Card ™	V		V				
Multi Use Red ™			V		×		V
Protecta Fleece ™	V		V				
Protecta Mat ™			V		V		
Hammer Board ™	V	V	V				











FLOOR PROTECTION

Protecta Board[™] Sheets & Rolls



Fluted Polypropylene Board

Protecta Board[™] is a fluted polypropylene sheet that serves as an excellent solution for flooring protection.

Available in sheets or rolls Protecta Board[™] is simple to install and can cover large areas quickly, whilst being able to be cut and shaped to fit into the most unusual of spaces.

Offered in Flame Retardant, LPS 1207 or Standard, the product benefits from being water proof and an excellent impact protector.

Protecta Board[™] is a long established versatile product within the construction industry and can be used in many applications - see both our Windows & Doors and Surface Protection sections for further details.

PRODUCT OPTIONS

SHEET	Colour	Dimensions	Code
2mm Compact	Black	2.4m x 1m	106-050
2mm Standard	Black	2.4m x 1.2m	106-042
2mm Translucent	Translucent	2.4m x 1.2m	106-046
3mm Standard	Black	2.4m x 1.2m	106-034
4mm Standard	Black	2.4m x 1.2m	106-038
2mm Flame Retardant	White	2.4m x 1.2m	106-076
3mm Flame Retardant	White	2.4m x 1.2m	106-016
4mm Flame Retardant	White	2.4m x 1.2m	106-018
2mm Flame Retardant	Black	2.4m x 1.2m	130-318
ROLL	Colour	Dimensions	Code
2mm Standard	Black	1m x 50m	106-008
3mm Standard	Black	1m x 50m	106-010
2mm Flame Retardant	White	1m x 50m	106-004



PRODUCT FEATURES

- Impact protection
- Waterproof
- Recyclable
- Available in sheets and rolls
- Available in various thicknesses
- Flame Retardant options available
- Customisation service available















🖂 Info@igoe.ie

Protecta Carpet[™]

Adhesive Carpet Protection Film

Protecta Carpet[™] is a tried, tested and proven self-adhesive clear carpet protector film and with over 1 million square metres sold every year, it's easy to see why it's amongst the most popular carpet protection films in the UK.

It can be applied freehand or with our specially made applicators (Protecta Carpet[™] Dispenser). It can be laid in single strips as a 'runner' or installed across a whole carpeted surface to provide a waterproof barrier; protecting from spills, dirt and contamination from foot traffic.

With health and safety in mind, Protecta Carpet[™] stays securely in place when stuck and doesn't travel or ruck like dust sheets, making it ideal for use in public areas. It can be left down for up to 4 weeks, however, we always recommend to refer to application instructions before use.

Protecta Carpet[™] has the additional benefit of being tested to BS 4790 (flame retardant test used for carpets and other textile coverings). Protecta Carpet[™] Standard also complies to EN ISO 9239 and EN ISO 11925 (Reaction to fire tests). If your project requires a film that is LPS 1207 Certified please see our product Carpet Safe[™] FR.




Variation	Colour	Dimensions	Code
		600mm x 25m	103-022
Standard		600mm x 100m	103-020
Standard		800mm x 100m	103-024
	Clear	1200mm x 100m	103-026
Heavy Duty		600mm x 25m	103-014
		600mm x 50m	103-016
		1200mm 50m	103-018



PRODUCT FEATURES

- Self Adhesive
- Quick and easy installation
- Waterproof
- Residue free
- Customisation service available
- Can be left in place for up to 4 weeks



DISPENSER OPTIONS				
Dimensions	Code			
To suit 600mm Roll	103-012			
To suit 800mm Roll	103-002			
To suit 1200mm Roll	103-010			















Carpet Safe FR™

Flame Retardant Anti-Slip Adhesive Carpet Protection Film

PRODUCT		Dimensions	L Code
Variation Flame	Colour	Dimensions	Code
Retardant	White	600mm x 100m	103-006
		· 公 2	8
PROD	UCT FEATU	JRES	
Flam	ne Retardar	nt to LPS 1207	
Anti-	-Slip		
Self	adhesive		
	erproof		
Quic	k & easy ap	plication	
	due free		
		service available	
Can	be left in pl	ace for up to 4 we	eks
- Transfer	720/01	Approved to Cert No. 11	TIP.
	TNAGS		
		Brotecta St	
LO	1 224/1	of Deved to Fett No. 11	C
	IAAR	Protecta	CA
	-	2	

Carpet Safe FR[™] is a superior self-adhesive carpet protection which has been specially designed to protect carpets during the construction and renovation process.

Due to the product being tested and certified to LPS 1207, Carpet Safe FR[™] meets with the requirements of the construction industries Joint Code of Practice which will provide you with peace of mind whilst in use on any project.

Carpet Safe FR[™] has a reverse wound roll to provide ease of application as film can simply be 'kicked' out and smoothed into place with no need for additional taping. The product can be used as a runner or to cover large areas quickly and efficiently. The specially formulated adhesive will leave no residue, providing outstanding self-adhesive protection, whilst saving valuable time. The embossed, anti-slip surface of the roll provides an excellent safety measure against slip and trip hazards while the puncture resistant film prevents damage to carpet from spills, dust, debris and foot traffic.

Carpet Safe FR[™] is suitable for use on carpet only and should not be left down for more than 4 weeks. For use on stairs see our Stairs section for further information.

If just an embossed film with no flame retardant properties is required please see our Carpet Safe[™] standard product.



🖂 Info@igoe.ie

Carpet Safe[™]

Anti-Slip Adhesive Carpet Protection Film

Carpet Safe[™] has all the advantages of Protecta Carpet[™] with the additional benefit of an embossed surface.

PRODUCT OPTIONS			
Variation	Colour	Dimensions	Code
Standard	Opaque	600mm x 100m	103-008

Carpet Safe's[™] self adhesive film is waterproof and puncture resistant providing protection for all carpeted areas allowing works to be carried out safely and efficiently without contaminating from spills, dust and debris or damaging the carpet surface underneath.

Carpet Safe[™] can be easily applied by hand or using one of Protecta Screen's[™] specially designed Carpet Dispensers and once in place can be left up to 4 weeks. Once removed the specially formulated adhesive will leave no residue. For use on stairs see our Stairs section for further information.

Application for carpets only. Carpet Safe[™] should never be applied to wet or damp carpets and special care should be taken when used on old or worn carpets.

Carpet Safe[™] Standard can be applied using our dispenser shown below.



DISPENSER OPTIONS				
Dimensions	Code			
To suit 600mm Roll	103-012			
To suit 800mm Roll	103-002			
To suit 1200mm Roll 103-010				











🔍 01 830 22 50

353-1-830 0770



Protecta Shield[™]

Anti-Slip Polythene Floor Protection Roll

PRODUCT O	PTIONS		
Variation	Colour	Dimensions	Code
Flame Retardant	White	1.82m x 55m (125 Micron)	104-018
THE REAL	\bigcirc		
PROPI			
PRODU	JCT FEAT	URES	
Anti-			
Flam	e Retarda	nt to LPS 1207	
Wate	rproof		
Quick	« & easy In	stallation	
Customisation service available			
Ideal	for large f	loor areas	
-			


Protecta Shield[™] is a flame retardant to LPS 1207, anti-slip roll out floor protection polythene material. Most suited for use on large floor areas or as a runner.

Protecta Shield[™] utilises an embossed surface for high anti-slip safety properties as well as preventing spilled liquids from travelling across the surface area. It is ideal for protecting large floor surface areas.

It also provides protection against dust, dirt, light debris and foot traffic.

Simply roll out, cut to length and join with tape where required.





Breather-Poly FR[™]

Non woven Breathable Floor Protection Roll

Breather-Poly FR[™] is a breathable flame retardant to LPS 1207 floor protection. It is a non woven material which will offer protection to your floors from dirt, dust and spillages whilst allowing your floor to breathe.

PRODUCT OPTIONS			
Variation	Colour	Dimensions	Code
Flame Retardant	Grey	1m x 100m	123-004

Breather-Poly FR[™] can be used to protect vinyls, screed flooring, newly finished wood, stone, terrazzo and tiled flooring. Simply roll out and join together using our range of Self Adhesive Tapes.



- Breathable
- Flame Retardant to LPS 1207
- Suitable for newly finished floors
- Customisation service available



cta Screen



NTERNATIONAL

Protecta Grip™

Anti-Slip Granulated Non Abrasive Large Area Floor Protection Roll

PRODUCT OPTIONS			
Variation	Colour	Dimensions	Code
Standard	Grey	1.5m x 150m (125 Micron)	104-024



PRODUCT FEATURES

- Anti-Slip
- Waterproof
- Puncture and tear resistant
- Ideal for large floor areas



Protecta Grip[™] is a large area floor protection film specially granulated to give a non abrasive, anti-slip surface.

The granulation is encased in the core material so is safe to use on finished surfaces without fear of abrasion or scratching. It also provides added grip and anti-slip properties to this economical floor protector which is waterproof, puncture and tear resistant.

Simply roll out, cut to length and join with tape where required to protect from dirt, dust and site debris.







Protecta Floor™

Impact Resistant Recycled Textile Floor Protection Roll

Protecta Floor[™] is manufactured from 100% recycled materials (non-woven cotton / polyester / acrylic / polypropylene with a PE backing).

The slip resistant 'floor hugging' backing ensures Protecta Floor[™] stays in place for additional safety whilst the textile surface provides a high level of impact resistance as well as protecting from dirt, dust etc.

Protecta Floor[™] is 100% water resistant and will hold spills and protect against wet foot traffic. Available in multiple grades (thicknesses) for varying levels of protection. This pressure sensitive floor protection does not require any additional taping or fixing.

Once cleaned, Protecta Floor[™] can be rolled back up and reused multiple times.



PRODUCT OPTIONS Variation Colour Dimensions Im v 25m

Medium		1m x 25m	105-008
	Crov	1m x 50m	105-010
Heavy Duty	Grey	1m x 25m	105-012
Extra HD		1m x 25m	105-016



| Code

PRODUCT FEATURES

- Anti-Slip
- Water resistant
- Quick & easy installation
- Impact resistant
- Reusable
- Recycleable











Recyclo Card[™]

Waterproof Recycled Packaging Floor Protection Roll

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard width	Black	1.25m x 40m	104-032		
Stair width	DIACK	660mm x 40m	104-034		



PRODUCT FEATURES

- Waterproof
- Reusable
- Recyclable
- Impact resistant

Recyclo Card[™] is a roll out floor protection made from recycled carton packaging and is suitable for use in a wide range of applications.

Its PE coating makes the product 100% waterproof whilst also providing good impact protection for a variety of flooring surfaces. Recyclo Card[™] is fully reusable and recyclable making it one of the most environmentally friendly products on the market.

The 1.25 x 40m rolls are easily transported and can cover large areas quickly, plus being reusable provides an economical, easy to use flooring protection solution.

Half size rolls also available for use on stairs, see our Stair Protection section and also Surface Protection for further uses.





Recyclo Board[™]

Recycled Fluted Polypropylene Board

Recyclo Board[™] is a fluted polypropylene sheet made from recycled materials that can be reused and then fully recycled once finished with.

This lightweight, hardwearing sheet provides outstanding impact protection for a variety of surfaces and due to its size can cover large areas quickly.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
2mm			106-602		
3mm	Black	2.4m x 1.2m	106-604		
4mm	7		106-606		



Recyclo Board[™] can be easily cut to shape allowing it to fit any space or surface and will provide excellent protection against liquid, dirt and foot traffic.

A truly versatile product, Recyclo Board[™] will provide a cost effective, eco-friendly solution to any building or construction project and is available in various thickneses to suit your requirements.

PRODUCT FEATURES

- Fully recyclable
 - Made from recycled material
 - Impact protection
- Waterproof
- Customisation service available







MultiGuard[™]

Adhesive Multi Surface Protection Roll

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Grey	1m x 25m	107-004		
PRODUCT FEATURES					
Excell	ent impact	protection			
Versat	tile				
Easily	applied				
Splasl	h protectio	n			
Reusable					
No extra fixing required					
Can be left in place for up to 4 weeks					




MultiCuard[™] is an easily applied, high impact protection product suitable for a variety of flooring surfaces including carpet and hard floors. Supplied in a 1m x 25m roll, MultiCuard[™] can be easily cut to size enabling it to fit exactly into spaces as required.

Due to the specially formulated adhesive, once used MultiGuard[™] can be removed and stored to reuse again or taken up and repositioned elsewhere without the adhesive backing being affected. This also means that no extra taping is required. MultiGuard[™] is 100% Water resistant and will hold spills and protect against wet foot traffic.

This multi use product can also be used on stairs, windows and doors, and other surfaces - please see relevent sections for further information.







Floor Card

Durable Impact Protection Roll

Floor Card can be used to protect all types of flooring surfaces, especially newly laid screed floors as it will allow the floor to 'breathe' during the curing process.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Brown	1m x 100m	116-028		
Heavy Duty	BIOWII	1m x 50m	116-054		

Floor Card provides effective protection from dust, dirt and splashes and is available in two grades, Standard and Heavy Duty. It will also protect against scrapes and scratches too.

Simply roll out and fix using an appropriate adhesive tape, Floor Card provides a safe walking surface and it's non abrasive finish means it is ideal for finished floors too! For other areas of use see our Stairs and Traditional Products sections.





- Breathable
- Strong and durable
- Slip resistant















Multi Use Red[™]

Adhesive Multi Surface Protection Film

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Red tint	600mm x 100m	110-002		
Stanuaru	Red tint	600mm x 50m	110-006		
PRODUCT FEATURES					
Self-adhesive					
Quick a	and easy ir	nstallation			
Waterp	proof				
Hygien	Hygienic				
Custon	nisation se	ervice available			
Can be left in place for up to 6 weeks					





Multi Use Red[™] is a self-adhesive. low tack protection film that is ideal for those wanting a quick and simply applied solution to protect finished, hard flooring surfaces. Application time can be reduced even further for large floor areas by using our Protecta Carpet[™] Applicators, on page 7.

Whilst in place Multi Use Red[™] will protect your hard floor surface from everyday dust and dirt created by general foot traffic and also protects from spills and splashes while renovation and refurbishment takes place.

Multi Use Red's[™] specially formulated adhesive will ensure that it can be removed quickly, cleanly and can be left down for up to 6 weeks. Protecta Screen[™] recommends that application instructions are always refered to before use.

If you have several areas to protect Multi Use Red[™] can be a cost effective solution as it can be used to protect most hard surfaces including stairs, kitchen worktops and units and bathrooms. See Stairs and Surface Protection sections for further information.





Protecta Fleece[™]

Durable Impact Protection Roll

Protecta Fleece[™] is an adhesive, waterproof, impact resistant surface protection suitable for a variety of flooring surfaces.

Being 'reverse wound' (adhesive side on the outside of the roll) it allows a quick and simple 'roll out' installation ideal for covering large areas quickly. As Protecta Fleece[™] is self adhesive, no additional fixing is required and the special adhesive technology ensures that there is no residue upon removal. Protecta Fleece[™] can be left in place for up to 4 weeks before it needs replacing.

The thick fibre layer creates excellent impact protection while the PE backing ensures that it is 100% waterproof and will protect your floor from damage, spills, splashes and wet foot traffic.

Protecta Fleece[™] can also be ordered in a smaller perforated roll which is excellent for DIY or small jobs. A Flame Retardant version is also available should your project require this additional level of protection.

Protecta Fleece[™] can also be used on stairs or as a surface protection, please see relevent sections for further information.



PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	White	1m x 50m	108-008		
Flame Retardant	Green	1m x 50m	108-004		
Perforated	White	0.5m x 48m x 40 sheets	108-040		



PRODUCT FEATURES

- Self adhesive
- Quick & easy installation
- Waterproof
- Impact protection
- Available in Flame Retardant to Class Bfl-s1/DIN EN13501-1
- Can be left in place for up to 4 weeks





🕓 01 830 22 50







Protecta Fleece[™] Breathable


Breathable Waterproof Impact Protection Roll

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Breathable	Blue	1m x 50m	123-002		
PRODUCT FEATURES					
Breath					
Impac	t protectio	n			
Self ad	dhesive				
Quick	Quick & easy installation				
Time saver					
Can be left in place for up to 4 weeks					

Breathable Fleece[™] is a breathable floor protection that has been specially designed for use on floors that need to 'breathe'.

Being self-adhesive the roll is easily applied and can be cut and shaped to fit any area, whilst leaving no residue once removed. The thick fleece material also provides excellent impact protection in addition to protecting against foot traffic, dust and debris and will protect your floor against unwanted and costly damage.

Breathable Fleece[™] is suitable for use on newly laid floors, especially for those that require additional airflow whilst completing the curing process. The biggest benefit is allowing works to continue in the area while this process is completed helping to save much needed time.



Protecta Mat[™] Standard

Adhesive Dust Removing Tacky Mat





PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Blue or Clear	1150mm x 450mm 30 sheets	117-012		

Protecta Mat[™] is a low profile site entrance tacky mat used for removing dust, dirt and debris from footwear upon site / building entry. Each removable sheet is coated in a light tacky adhesive so when the user steps on the mat, surface dirt is removed.

Its low profile means it is suitable for use when doors are already hung, allowing them to be opened without hindrance, passing over the mat. Can also be used in conjunction with dust screens, see our Temporary Screening section.

Protecta Mat[™] Heavy Duty

Heavy Duty Adhesive Dust Removing Tacky Mat





PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Heavy Duty	Red	600mm x 900mm 36 sheets	117-002		

Protecta Mat[™] Heavy Duty is a hard wearing site entrance tacky mat used for removing dust, dirt and debris from footwear upon site / building entry. Each removable cotton sheet is embedded with a light tacky adhesive so when the user steps on the mat, surface dirt from footwear is transferred on to the mat ensuring a cleaner site. It is also able to remove dirt from foot traffic that may be slightly damp.

Its hard wearing rubber frame is easy to relocate to different site entrances. Can also be used in conjunction with dust screens, see our Temporary Screening section.



() 01 830 22 50





Hammer Board[™]

Heavy Duty Impact protection type sheeting

PRODUCT OPTIONS					
olour	Dimensions	Code			
ack	o.(10	106-400			
'hite	2.4m x I.2m	106-410			
FEATU					
rotecti	on				
of					
le					
Flame retardant options available					
ation s	ervice available				
	blour ack hite FEATU rotecti of le cardant	Diour Dimensions ack 2.4m x 1.2m hite Dimensions Dimensions Dimens			

Hammer Board[™] is a heavily engineered fluted polypropylene board suitable for multi surface impact protection, most commonly used on high end floors and surfaces, but can also be used for other applications such as windows and walls.

It is an extremely durable, ply-board equivalent offering exceptional levels of impact protection and suitable for heavy wheeled traffic.

This product can be custom printed with your logo and contact details upon request.



Temporary Screening

Temporary screen partitions are necessary to create a shield preventing excessive dust and dirt transferring to public areas from the work site.

Airborne dust and dirt is a common problem when undertaking building or renovation work. As such the Quickprop[™] system was developed exclusively by Protecta Screen[™] to provide a complete solution for site temporary screening, creating a tight seal for an effective guard against the transfer of dust and dirt. Installation is quick, simple and only requires one person.

To create a partition between public area and work site; Reuse-A-Wall™ is a modular internal hoarding system, creating a clear divide for building work which shields the public from hazards and provides privacy for the site project.

TEMPORARY SCREENING OPTIONS						
PRODUCT	Temporary Partition	Temporary Screen	Dust Seal	Access Required	Flame Retardant	Visability
Reuse-A-Wall™	V					
Quickprop™		V				
Screening Material Standard Clear		V				~
Screening Material FR White		V			V	
Protecta Screen Door Kit				V		
Protecta Screen L Shape Door Kit				V		
Tape Free Dust Seal			V			
Foam Wall™			V			
Poly Hanger - 10		V				




















Reuse-A-Wall[™]

Modular Internal Hoarding System

Reuse-A-Wall[™] is an innovative modular internal hoarding system which can be manufactured bespoke to your exact height, length and design. It has been developed to provide a cost effective, safe and reusable hoarding system for internal works such as shop fitting, refurbishment and fit out projects.

The modular hoarding system is ideal for locations such as Supermarkets, Airports, Leisure Centres, Restaurants, Hospitals, Schools and Public Buildings.

For full information on Reuse-A-Wall[™] please email or call: Reuse-A-Wall 0844 848 4166 info@reuseawall.com



PRODUCT FEATURES

Reusable

Cost effective

Professional

Bespoke to fit your requirements

Customisation service available













Quickprop[™]Installation Guide

Guidance and tips for Protecta Screen Quickprop[™] installation



Unravel 1-2m of screening material and attach the first Quickprop[™] to the top corner allowing 3-4 inches of space on either side of the pad. Secure the Quickprop[™] to the material using the push rivet.

TIP: Do not yet secure the bottom of the screening material under the bottom pad - this comes later!



Secure the first Quickprop^M to the ceiling on a 30 degree angle facing the opposite direction of where you want the screen to go.

TIP: When extending the Quickprop™ to its appropriate height, maintain tension on the poles to create a tight seal and a strong screen.



Attach the next Quickprop[™] to the screening material approx 1m - 1.5m apart from the first Quickprop[™] and secure it to the ceiling straight.



Continue as per step 3 unravelling the screening material from the roll and applying Quickprops[™] every 1m - 1.5m.

🖶 353-1-830 0770

Quickprop[™]

Telescopic Aluminium Temporary Props

Quickprops[™] are lightweight aluminium fully adjustable telescopic props exclusively designed by Protecta Screen[™] to be used in conjunction with screening material to 'screen' off required areas.

Quickprops[™] directly replace the need for the construction of timber frames to create a temporary screen and will effectively shield sensitive areas from disruption, dust, dirt, paint and mortar splashes, alongside creating an

effective barrier between the occupied / sensitive area and your project. Props are available in 3m, 4m, 5m and 6m and the fully retracted length of 1.7m for all sizes makes them easy to transport to the next location when required.

Quickprops[™] are easy and quick to install and dismantle without the need for tools or fixings making them a time saving, zero waste product. The props are completely re-usable and all components are available individually from stock along with a number of accessorises.





PRODUCT OPTIONS

Variation	Colour	Dimensions	Code
3m		1.7m - 3m	101-002
4m	Silver	1.7m - 4m	101-004
5m		1.7m - 5m	101-006
6m]	1.7m - 6m	101-008



PRODUCT FEATURES

- Quick & easy installation
- **Fully adjustable**
- Telescopic
 - Lightweight
 - Reusable
- Easily stored

General Advice:

- Always maintain good tension when securing the props
- Allow 3-4 inches of space on the top of the screening material when attaching the top pad
- Ensure that both pads are flat for a tight seal
- Quickprops[™] are perfectly fine to use on suspended ceilings, just ensure pads are secured to the cross-section



When you reach the point where you want the screen to end, use a pair of scissors or a retractable knife to cut the screening material from the roll.



Return to your first Quickprop[™] and straighten it, if necessary.



Return to each Quickprop™ and tuck the bottom end of the screening material underneath the bottom pad to secure it at the bottom, if required temporarily loosen the Quickprop[™] to allow space to feed the screening material through.



To create an even tighter seal, tape the top and bottom ends of the excess screening material to the floor / ceiling using a low tack tape.

Alternatively, use Quickprop[™] Tape Free Dust Seal as an alternative to using tape when securing the top of the screening material.

EMPORARY SCREENING



€ 01 830 22 50



Screening Material

Standard Reinforced, Flame Retardant and Translucent

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Reinforced	Clear	4m -sold per 1m	101-030	
Flame Retardant	LPS 1207 White	4m x 25m	101-036	
Flame Retardant	Plain White	4m x 25m	101-046	
Flame Retardant	LPS 1207 Orange	4m x 25m	101-056	
Standard	Clear	4m x 25m	101-042	
Light Duty	Clear	4m x 25m	101-040	



PRODUCT FEATURES

- Various grades available
- 100% reusable
- Allows light through
- Lightweight material



Protecta Screen's[™] Screening Materials are available in Standard, Flame Retardant, Reinforced and Light Duty meaning there is a suitable material for every project.


Used in conjunction with Quickprops[™] Screening Material is a economical solution which provides an effective barrier against dust, dirt and debris whilst works are being carried out.

Available in Translucent to allow light through avoiding the need for additional lighting on site or in White Flame Retardant which provides an opaque screen to help shield areas where required whilst still allowing light through. Plus being certified to LPS 1207 the FR material provides better coverage for insurance purposes and higher safety levels.

Where required our Reinforced or FR Heavy Duty screening will allow for extra strength and reusability whilst our Light Duty provides our most economical option of all the screening materials available.







Protecta Screen Door Kit

Self Adhesive Zips used to create doorways in Temporary Screens





PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Black	2.2m (Width to suit)	101-034	

The Protecta Screen Door Kit is a pre-assembled kit that allows the user to create a doorway within a run of screening material. Mostly used alongside Protecta Screen's[™] Quickprop[™] system the Protecta Screen Door Kit will provide safe and easy access to the segregated area of the worksite, whilst helping to ensure containment of dust and debris created during works.

The two self-adhesive zips have a peelable backing allowing them to be positioned on the screening material at the desired width and at a height of 2.2m provide sufficient height space like a normal doorway. Two sided zips allow the doorway to be opened from either side.

Protecta Screen L Shape Door Kit Self Adhesive Zips to create 'L Shape' doorway in existing doorways







PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Clear	2.1m x 1.1m	101-032	

The pre-assembled Protecta Screen L Shape Door Kit allows you to quickly and easily create a dirt trap between rooms using an existing door frame.

The 2.1m high by 1.1m wide material can be cut to size to fit an existing doorway and fixed into position using adhesive tape. The heavy duty stitched on zipper can be easily unzipped, rolled back and then fixed into an open position using the Velcro straps.


Tape sold separately.





Quickprop Tape Free Dust Seal™

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Grey	1.67m	101-012	





Specially designed to use in conjunction with Quickprops™, Protecta Screen's™ Tape Free Dust Seal™ is the ideal solution to create a complete dust barrier in a segmented area and to help ensure minimal transfer of dust and debris into or out of the work area.

The Tape Free Dust Seal[™] simply attaches to the top of any size Quickprop[™] which once extended creates an extremely tight seal between the screening material and the ceiling. Developed exclusively by Protecta Screen[™] the Tape Free Dust Seal[™] will only work with Protecta Screen[™] specially designed Quickprop's[™].

Quickprop Foam Wall

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	White	1.2m	101-048	

Foam Wall is the ideal solution to create a complete dust barrier in a segmented area and to help ensure minimal transfer of dust and debris into or out of the work area.

Foam Wall simply attaches to the side of any size Quickprop[™] and creates a tight seal between the screening material and the wall.



Poly Hanger

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Red	9cm x 7cm	101-010	

Poly Hangers are a professional and quick solution to securely holding polythene sheeting in place which are simple to install and remove,



and completely reusable. Poly Hangers include a

10" releasable cable tie which makes them perfect for attaching to roofing joists, pipes and other objects.

🖶 353-1-830 0770

Stair

STAIR PROTECTION OPTIONS



Protection

The construction of most domestic and multi-storey commercial buildings will contain stairways which are prone to heavy and regular foot traffic, increasing the likelihood of damage to the tread of the stairs and stairway joinery.

Stair treads are covered in a variety of different flooring types, as such we have a wide range of products to suit multiple different surface types, many of which are versatile enough to fit the awkward shapes of stairs.

Joinery is particularly susceptible to impact damage, especially when moving home due to furniture and belongings being moved up or down stairways. It is very easy to knock a bannister, handrail or joinery and cause unsightly damage.

PRODUCT	Impact Resistant	Reusable	Water Resistant	Anti-slip	Self Adhesive	Flame Retardant Option	Custom Printing Available
Protecta Stair ™ Square Nosing	V	V	V	>			
Universal Stair™	V	V	V				
Foam Handrail Protector	V	V	V				
Flexible Handrail Protector	V	V	V				
Joinery Protector	V	V	<			<	
MultiGuard [™]	V	V	V	>	>		
Multi Use Red™			V		>		V
Protecta Carpet™			V		>	>	V
Carpet Safe FR™ and Carpet Safe™			V				V
Recyclo Card™	V	V	V				
Floor Card [™]	V		V	V			
Protecta Fleece™	V		V		V		







Protecta Stair[™] Square Nosing

Anti Slip PVC Reusable Square Nosing Stair Protection


PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Black	760mm x 180mm x 3mm	113-016	
	Z			
PRODUC	T FEATU	RES		
Impact	t protectio	n		
Reusak	ole			
Waterp	proof			
Anti-sli	ip			


Protecta Stair[™] Square Nosing is designed to provide high impact protection to stair treads and nosing in both domestic and commercial buildings.

Manufactured from hardwearing PVC with a distinctive ridged finish, Protecta Stair[™] Square Nosing provides excellent slip resistance, a safety feature which can be crucial when working on and trying to protect stairs.

Securely fixes to stairs by pinning or taping in place, this reusable stair protection offers a cost effective solution to stair tread protection which is a better alternative to expensive repairs or replacements that can add to the cost of a project.









Universal Protector Stair[™]

Fluted Polpropylene Impact Resistant Stair Protection

Universal Protector Stair[™] has been designed to protect all types of staircases providing effective protection for treads, nosing and risers.

Manufactured from hardwearing fluted polypropylene Universal Protector Stair[™] has been pre-slit to create a right-angle and can be easily cut to size to fit the width of the stair. Secured in place with pins or adhesive tape.

This lightweight reusable product is 100% Recyclable making Universal Protector Stair[™] a cost effective eco-friendly solution for avoiding expensive replacement or repairs to stairs during the construction, building or renovation process.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	White	200mm x 1.2m x 4mm	113-017		
	\bigcirc	RR			
naking	PROD	UCT FEATURES			
blution during the	Wat Reu	act protection erproof sable yclable			







STAIR PROTECTION





Foam Handrail Protector

Foam Impact Protection for Stair Handrails and Banisters

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Small	Blue	35mm x 2000mm	115-008	
Large	Dide	60mm x 2000mm	115-010	



Handrail Protector is an impact resistant foam protector for the handrails of stairways.

It's specially constructed shape allows it to grip to handrails and fit securely in place to protect it from frequent knocks and bumps when transferring large or heavy items up or down stairs. The Handrail Protector is also ideal for keeping handrails clean, protecting from the transfer of dust and dirt on site allowing it to be clean and ready for painting / staining.

Flexible Handrail Protector

Flexible Foam Impact Protection for Stair Handrails

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Grey	50-60mm x 20m x 7mm	115-012	



7mm thick foam tube casing which adapts to fit and protect handrails. Shields from dust, dirt, paint splashes, and light impact.

The Flexible Handrail Protector is easy to cut or form to fit the required shape of the handrail, simply slot into place over the handrail and fix with tape or cable ties for additional stability. Once finished with Flexible Handrail can be removed and stored for future reuse.

Joinery Protector

Foam Impact Protection for Newel Posts and Other Joinery


PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Small	Grey	22mm x 2000m x 9mm	102-008	
Large	Red	114mm x 2000m x 13mm	102-006	





Joinery Protector is an impact resistant foam protector for the protection of newel posts, spindles and other sensitive fixtures / fittings of stairways.

Also suitable for use on handrails. It's specially constructed shape allows it to grip to spindles and fit securely in place to protect them from frequent knocks and bumps when transferring large or heavy items up or down stairs.



MultiGuard[™]

Adhesive Multi Surface Protection Roll

MultiGuard[™] is a multi-surface, multi-use product which offers excellent protection for stair treads and nosing.

The strong fibres and PE underside make MultiGuard[™] 100% water resistant and able provide outstanding impact protection which is

crucial for stairs during the construction process due to heav from workers and materials being moved up and down the The material composition also makes this product anti-slip v an important safety component when protecting stairs.


MultiGuard[™] is a self-adhesive product meaning it can be ea rolled out and applied to the chosen area and no additional required. Due to its specially formulated adhesive MultiGuar be applied to various surfaces including Carpet, Wood and V without leaving any residue. This adhesive also allows for the to be removed and either repositioned or stored and reused the adhesive drying out.

Can also be used for protection of Floors, Windows & Doors and other surfaces please see relevent sections for further inforamtion.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Grey	1m x 25m	107-004		
heavy use the building. lip which is	PROD				
e easily onal fixing is Guard™ can nd Vinyl r the product used without	Vers Easi Spla Reu No e Can	ellent impact prot satile ly applied ash protection sable extra fixing require be left in place fo eeks	ed		











Multi Use Red[™]

Adhesive Multi Surface Protection Film

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Red	600mm x 100m	110-002		
		600mm x 50m	110-006		
PRODUCT FEATURES					
Self adhesive					
Quick and easy application					
Waterproof					
Hygienic					
Customisation service available					
Can be left in place for up to 6 weeks					





Multi Use Red[™] is a light manageable roll which provides easy application on to hard surfaced finished stairs.

Its self-adhesive backing ensures that once smoothed into place it does not require any additional tape or fixing and will stay in place without ruffling providing a safe way to ensure your stairs are constantly protected. Multi Use Red[™] can be left down for up to 6 weeks - please always refer to the application instruction before use.

Its distinctive colour also indicates to everyone you are protecting a finished sensitive surface

Concealed from dirt, dust and spills Multi Use Red™ ensures that your stairs will not be damaged when work is complete.

Multi Use Red[™] can also be used to protect your finished hard floor surfaces as well as your stairs. See Floor and Surface protection sections for more information.





Protecta Carpet[™]

Adhesive Carpet Protection Film

Protecta Carpet[™] is a tried, tested and proven self-adhesive clear carpet protector film and with over 1 million square metres sold every year, it's easy to see why it's amongst the most popular carpet protection films in the UK.

It can be applied freehand or with our specially made carpet protection film applicators (Protecta Carpet[™] Dispenser). It can be laid in single strips as a 'runner' or installed across a whole carpeted surface to provide a waterproof barrier; protecting from spills, dirt and contamination from foot traffic.

With health and safety in mind, Protecta Carpet[™] stays securely in place when stuck and doesn't travel or ruck like dust sheets, making it ideal for use in public areas.

Protecta Carpet[™] has the additional benefit of being tested to BS 4790 (flame retardant test used for carpets and other textile coverings). Protecta Carpet[™] Standard also complies to EN ISO 9239 and EN ISO 11925 (Reaction to fire tests). If your project requires a film that is LPS 1207 Certified please see our product Carpet Safe FR[™].

PRODUCT OPTIONS Variation Colour **Dimensions** Code 600mm x 100m 103-020 600mm x 25m 103-022 Standard 800mm x 100m 103-024 Clear 1200mm x 100m 103-026 103-014 600mm x 25m 600mm x 50m 103-016 Heavy Duty 1200mm 50m 103-018



PRODUCT FEATURES

- Self adhesive
- Quick and easy installation
- Waterproof
- Residue free
- Customisation service available
- Can be left in place for up to 4 weeks











Carpet Safe FR[™] & Carpet Safe[™]

Anti Slip Adhesive Carpet Protection Film

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Carpet Safe FR™ Flame Retardant	White	600mm x 100m	103-006		
Carpet Safe™ Standard	Clear	600mm x 100m	103-008		
		1			



PRODUCT FEATURES

- Anti-slip
- Self adhesive
- Waterproof
- Quick & easy application
- Residue free
- Customisation service available
- Flame Retardant option available to LPS 1207
- Can be left in place for up to 4 weeks



Our Carpet Safe[™] range has all the advantages of our Protecta Carpet[™] product with the additional benefits of both being Embossed Anti-Slip and our FR version being Certified to LPS 1207.

These added benefits make the Carpet Safe[™] products a must have requirement for sensitive site safety projects.

The puncture resistant film provides excellent anti-slip protection and is 100% waterproof making Carpet Safe[™] perfect for use on carpeted stairs allowing works to be carried out safely and efficiently without contaminating from spills, dust and debris or damaging the carpet surface underneath.

The specially formulated adhesive will allow the product to be left on a Carpeted surface for up to 4 weeks and once removed will leave no residue. See also our Floor Protection section for more information.

Application for Carpets only. Carpet Safe[™] should never be applied to wet or damp carpets and special care should be taken when used on old or worn carpets.



38

Recyclo Card[™]

Waterproof Recycled Floor Protection Roll

Recyclo Card[™] is a multi use protection made from recycled carton packaging that is suitable for protecting a variety of surfaces.


The 660mm x 40m rolls are perfect for use on staircases and hallways as a runner, allowing foot traffic and materials to be moved up and down stairs without causing damage or contamination to the protected surface underneath.


Recyclo Card's PE coating makes the product 100% waterproof whilst providing a durable hardwearing protection that can be rolled up and reused. The product is also recyclable making Recyclo Card[™] a cost effective, environmentally friendly product to use on any project.

See also Floor Protection and Surface Protection for more applications,

PRODUCT OPTIONS Variation Colour Dimensions Code Standard Black 1.25m x 40m 104-032 Stair Black 660mm x 40m 104-034 Image: Colour Colour

- Waterproof
- Recyclable









Floor Card

Durable Impact Protection Roll

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Brown	1m x 100m	116-028		
Heavy Duty		1m x 50m	116-054		



PRODUCT FEATURES

- Impact resistant
- Breathable
- Strong and durable
- Slip resistant
- Multi surface protection

Strong and durable Floor Card is an excellent protection solution for high foot traffic areas such as Stairs.

Simply roll out, cut to size and tape into place using an appropriate adhesive tape. Floor Card will provide an excellent anti slip surface protection for Stairs minimising damage from dust, dirt and splashes.

Available in two thicknesses Floor Card also gives you the flexibility to provide a higher level of impact resistance depending on the surface you are protecting. See also Floor Protection and Traditional Products sections for further applications.









Protecta Fleece[™]

Adhesive Waterproof Impact Protection Roll

Simply 'roll out', smooth into place and trim for the perfect fit on your stairs with no need for any additional fixing, once in place it will not travel or ruck.

Protecta Fleece's[™] thick fibre layer will ensure that your stairs are well protected from accidental impact whilst the PE backing will prevent damage from dust, dirt and spills.

This multi purpose protection can also be used on most floors as well as other surfaces such as kitchen worktops.

Protecta Fleece[™] can be left in place for up to 4 weeks before it needs replacing. It is also available in Flame Retardant should your project require this additional level of protection.

Protecta Fleece[™] can also be used as a Floor or Surface protection please see relevent section for further details.







PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	White	1m x 50m	108-008		
Flame Retardant	Green	1m x 50m	108-004		
Perforated	White	0.5m x 48m x 40 sheets	108-040		





- Self adhesive
- Quick & easy installation
- Waterproof
- Impact protection
- Available in Flame Retardant to Class Bfl-s1/DIN EN13501-1



-17

() 01 830 22 50






Window & Door Protection




Windows in particular are susceptible to unwanted splashes of paint, plaster and scratches during building and decorating projects, not to mention expensive to replace if damage occurs. Our specialist window protection range provides a solution for the prevention of such risks as well as some specialist features to go beyond standard window protection film such as opaque privacy window film and film allowing the safe shattering of windows.

Doors and doorframes are likely to sustain impact damage during construction projects or house moving due to the transfer of furniture or building materials through doorways. Protecting doors and door frames will ensure that the construction project is fulfilled without unnecessary damage and costly errors.

WINDOW & DOOR PROTECTION OPTIONS								
PRODUCT	Impact Resistant	Water Resistant	Let Light In	Block Light Out	Self Adhesive	No Tape Required	Flame Retardant Option	Custom Printing Available
Protecta Window ™		<	V		<	V		V
Black Out Film™		✓		>	>	>		
Demolition Film ™		>	>		>	>		
Stone Sill Protector	>	>				>		
PB Sill Protectors	V	V				>		
UPVC Sill Protector	K	<				>		
Foam Jamb Guard FR ™	V	V				\checkmark	V	
MultiGuard ™	>	>			>	>		
Protecta Board Sheets ™	K	K	>	<			V	V
Door Sleeves FR ™		~				>		
Protecta Door ™ - Single	K	K				>		
Door Protection Sheets	V	>						V





Protecta Window[™]

Adhesive Glass Protection Film

Protecta Window[™] is a self adhesive temporary glass protection film. Available in clear or blue tint Protecta Window[™] provides an excellent barrier to protect your glass and frames from paint splashes, dust and dirt without blocking out light.

Quick and easy to apply Protecta Window $^{\scriptscriptstyle{M}}$ is simply rolled out and
smoothed into place by hand, or using one of our specially designed
applicators, with no additional tape or fixing required.

Protecta Window's[™] low tack adhesive leaves no residue on removal reducing the 'clean up' time before hand over. Also see our External Protection section.

Protecta Window[™] however is not suitable for use on self cleaning glass and is recommended to be replaced at least every 8-12 weeks. Always consult application instructions before use.



PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Blue	600mm x 100m	111-008		
Stanuaru	Clear	600mm x 100m	111-010		
Dispenser	N/A	600mm	111-006		



PRODUCT FEATURES

- Self adhesive
 - Quick and easy application
- Waterproof
- UV protected
 - Allows light through
 - Customisation service available
 - Can be left in place for 8-12 weeks









Black Out Film[™]

Adhesive Black Out Glass Protection Film

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Black	600mm x 50m	111-080		



Black Out Film[™] is a self adhesive temporary glass protection film that has been designed to provide additional levels of privacy whilst still protecting windows and frames against potential damage where works are being carried out.

Black Out Film[™] will provide a protective barrier against paint and mortar splashes which greatly reduces clean up time. The film will also protect against scratches on the glass which can invariably lead to expensive replacement costs.

Either applied by hand or using our specially designed applicator the self adhesive film can be easily applied and removed without leaving adhesive residue.

Black Out Film[™] is not suitable for use on self-cleaning glass and is recommended to be replaced every 8-12 weeks*

Demolition Film[™]

Adhesive 'Shatter resistant' Glass Removal Safety Film

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Yellow	600mm x 50m x 150mu	111-100		




Demolition Film[™] is a specifically designed film to use when removing panels of glass from windows and doors.

The product is manufactured from a yellow heavy duty 150 micron film with a strong adhesive backing, which assists with the safe removal of glass.

When applied to both sides of the glass, Demolition Film[™] helps reduce the risk of flying glass shards thus creating a safe environment for carrying out this task.

Due to its adhesive strength once applied Demolition Film[™] will become difficult to remove so should only be used on glass that is to be removed and replaced. Also see our External Protection section.

44



Stone Sill Protectors

Foam Impact Protection for Stone Sills

Stone Sill Protector is a high impact, thick foam protection tube that can be cut to size and formed around any stone window sill to provide protection against all types of site damage.

It requires no additional taping or fixing and is reusable enabling it to be moved from location to location as the project progresses, and can be used externally too! See our External Protection section for more information. Stone Sill Protector is Flame Retardant to BS 476.



PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Red	114mm x 2000mm x 13mm	102-004		



PB Sill Protectors Fluted Polypropylene Sill Protection

Our PB Sill Protectors provide quick and effective protection against falling debris and mortar etc.

Window sills are always installed early on in the project and are susceptible to damage, using these cost effective profiles will avoid costly replacements. PB Sill Protectors are sold in packs of 25 and are completely reusable and recyclable.

Sill Clips have been specifically designed to secure PB Sill Protectors to a wide range of sill sizes without the need for taping or stapling.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Pack of 25	White	300mm x 1200mm	111-020		



UPVC Sill Protectors Foam Impact UPVC Sill Protection

UPVC Sill Protector works in the same way as our Stone Sill Protector and is designed specifically to protect UPVC sills from damage.

The UPVC Sill Protector is manufactured from high impact thick foam, that can be easily cut to length and is specially shaped to enable it to simply be clipped into place without the need for additional fixing.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Blue	2000mm long	115-014		



() 01 830 22 50

353-1-830 0770





Foam Jamb Guard FR[™]

Foam Impact Protector for Door Jambs and Frames

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Red	114mm x 2000mm x 13mm	102-002		



PRODUCT FEATURES

- Impact protection
- Quick & easy installation
- Flame Retardant to BS 476
- Reusable



Foam Jamb Guard FR[™] is a high impact foam profile that provides outstanding protection from accidental impact and damage to door frames during construction or refurbishment.

The foam profiles are pre-slit to clip effortlessly to jambs up to 200mm wide without the need for additional taping or fixing and can be easily cut to the required length. Foam Jamb Guard FR[™] is manufactured from hardwearing foam and can be reused again and again making them a cost effective solution for door frame protection compared to some of the expensive ridged alternatives.

Foam Jamb Guard FR[™] is Flame Retardant to BS 476 Part 12: 1991 Non Ignition Source A & B.





MultiGuard[™]

Adhesive Multi Surface Protection Roll

MultiGuard[™] is an easily applied self adhesive protection that can be used for internal windows and doors to provide outstanding splash, scratch and scuff protection.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Grey	1m x 25m	107-004		

MultiGuard[™] is a self adhesive product meaning it can be easily rolled out and applied to the chosen area and no additional fixing is required. Due to its specially formulated adhesive, MultiGuard[™] can be applied to various surfaces without leaving any residue. This adhesive also allows for the product to be removed and either repositioned or stored and reused without the adhesive drying out.

MultiGuard[™] is an extremely high impact protection designed to protect from any knocks and scratches that the doors, windows and their frames may encounter whilst works are going on.

A multi use product suitable for use on Floors, Stairs and as a Surface Protection.



4 weeks







(interest of the second second





Protecta Board[™] Sheets

Fluted Polypropylene Board

PRODUCT OPTIONS							
SHEET	Colour	Dimensions	Code				
2mm Compact	Black	2.4m x 1m	106-050				
2mm Standard	Black	2.4m x 1.2m	106-042				
2mm Translucent	Translucent	2.4m x 1.2m	106-046				
3mm Standard	Black	2.4m x 1.2m	106-034				
4mm Standard	Black	2.4m x 1.2m	106-038				
2mm Flame Retardant	White	2.4m x 1.2m	106-076				
3mm Flame Retardant	White	2.4m x 1.2m	106-016				
4mm Flame Retardant	White	2.4m x 1.2m	106-018				
2mm Flame Retardant	Black	2.4m x 1.2m	130-318				



PRODUCT FEATURES

- Impact protection
- Waterproof
- Recyclable
- Available in various thicknesses
- Flame Retardant options available
- Customisation service available



Protecta Board[™] is a fluted polypropylene sheet that serves as an excellent solution for Window and Door protection. The product is offered in various thicknesses that can be easily cut and shaped to fit variety of spaces.

Available in black, white or translucent sheets which can be used to either block out or let in light when protecting window surfaces and being water proof can be used internally or externally. Large size sheets and rolls can be easily used as a door protection providing a barrier against knocks, scrapes and splashes.

Protecta Board[™] is a versatile product that can be used in many applications - see our Floor Protection and Surface Protection sections.





WINDOW AND DOOR PROTECTION



Door Sleeves FR[™]

Flame Retardant Polythene Door Protection

Door Sleeves FR[™] provide instant protection against scratches, dust, dirt, paint and mortar splashes.

Applied quickly and simply to 'hung' doors the flame retardant sleeve enables the door to remain in full operation whilst in place, the sleeve is sealed on three sides so envelopes the door providing complete protection for all sides.

The large sleeves are made to fit most standard door sizes and are Flame Retardant to LPS 1207 so provide added piece of mind when being used on site.

Protecta Board[™] Door Sheets, Corner Protectors and other materials can be taped directly to the 'Sleeve' creating greater impact protection without the need for taping or fixing directly to the finished door surface.

Dimensions

2200mm x 915mm

Code

114-012

Flame Retardant

PRODUCT OPTIONS

Variation

Retardant

- Pack of 20

Flame

Colour

White

- Splash protection
- Quick & easy installation

PRODUCT FEATURES

Customisation service available











Protecta Door™

Fluted Polypropylene Complete Door Impact Protection Kit

PRODUCT OPTIONS						
Variation Colour Dimensions Code						
Standard	White	815mm x 1980mm	126-010			



Our uniquely designed Protecta Door[™] has been created by Protecta Screen[™] to provide complete impact protection for 'hung' doors without the need of taping to the door itself; this allows doors to remain completely in use whilst works are carried out.

Created using heavy duty fluted polypropylene board; Protecta Door[™] creates an effective barrier against paint, mortar splashes, dust and dirt and will ensure long lasting protection of doors which have the potential to become damaged during the construction or refurbishment process.





Door Protection Sheets

Fluted Polyproylene Door Impact Protection Sheet

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	White	1000mm x 2000mm	114-008		



Door Protection Sheets are manufactured from fluted polypropylene sheeting to provide effective protection for doors.

Door Protection Sheets are lightweight and durable and will offer excellent impact protection to help prevent damage during construction or refurbishment.

The waterproof sheets will protect from paint splashes and other dust or dirt allowing for quicker clean up time once finished.

Door Protection Sheets are completely recyclable making them less of an impact on the environment and can also be custom printed to add a professional touch to any project.

Custom Printing Service More and more businesses are looking for ways to increase their brand

More and more businesses are looking for ways to increase their brand recognition by investing in custom printed temporary protection. Custom printed temporary protection products provide construction sites and businesses with a level of professionalism which far exceeds the competition. Bespoke branded products across a site will provide potential customers with a better level of trust in your brand and business.

Ordering Custom Printed Temporary Protection is easy:

- Enquire about the product availability of custom printed products and select your options
- Send your logo and brief to us
- If satisfactory, approve the artwork created by us for you free of charge
- Let us deliver to your site hassle free



PROFESSIONALISM

Increase brand professionalism by investing in custom printed temporary protection products. Bespoke branded products allow businesses to show how prestigious and competent they are within their industry.



INCREASED TRUST

Custom printed temporary protection portrays the image of a reputable brand or company, this also increases the amount of potential customers for your outfit due to increased brand recognition.



BRAND MARKETING

Get your brand recognised through custom printed temporary protection. Increase brand marketing by advertising company names and logo on construction sites whilst maintaining a safe, damage free working environment.














Protecta Board[™]

PRODUCT OPTIONS							
Print Type	Minimum Order	LEAD TIME					
1 colour print	500 sheets	4 weeks					
2 colour print	1000 sheets	4 weeks					
Digital	Digital 1100 sheets 4-6 weeks						

Custom Printed Protecta Board[™] is available in a range of colours and thickness with specific requirements catered for upon request.

For standard printing, Protecta Board[™] can be printed with up to 2 colours whilst digital printing allows a full spectrum of unlimited colours on your bespoke product.



Adhesive Tape

PRODUCT OPTIONS					
Print Type	Minimum Order	LEAD TIME			
l colour print					
2 colour print	288 rolls	2-3 weeks			
3 colour print	7				

Custom printing is available on our PVC & Vinyl Tapes, giving your site that extra touch of personalisation and professionalism, please enquire if you are interested in having one of our adhesive tapes branded with your company logo.



Die Cut & Sanitary Protection

PRODUCT OPTIONS					
Print Type	Minimum Order	LEAD TIME			
1 colour print	150no.	4 weeks			
2 colour print	150no.	4 weeks			

Our range of Temporary Bathroom & Kitchen protection products reduce refurbishment costs and time delays. These items can also be custom printed with a company logo or text to help promote your companies commercial image.



Adhesive Films (Protecta Carpet[™] / Multi Use Red[™] / Protecta Window[™])





PRODUCT OPTIONS						
Print Type Minimum Order LEAD TIME						
1 colour print						
2 colour print On application 12 weeks						

Perfect for providing protection against a number of common protection concerns such as foot traffic, paint and liquid splashes, scratches and scuffs, Protecta Screen[™] has a range of self-adhesive films suitable for custom printing allowing you maintain a professional appearance throughout the construction process.

Vented Sheeting



PRODUCT OPTIONS					
Print Type	Minimum Order	LEAD TIME			
1 colour print	30-50 rolls	6 weeks			
2 colour print	30-50 rolls	6 weeks			
Digital	1 roll	14 days			

Vented Sheeting is an interwoven mesh fabric that is durable and tear resistant, designed to allow airflow through Temporary Fencing, whilst providing a barrier for your site, and reducing the risk of rips in inclement weather.

Scaffold Sheeting



PRODUCT OPTIONS					
Print Type	Minimum Order	LEAD TIME			
l colour print	30-50 rolls	6 weeks			
2 colour print	30-50 rolls	6 weeks			
Digital	1 roll	14 days			

Scaffold Sheeting is a high quality reinforced eyeleted material, which can be attached by using our Elasticated Scaffold Ties. It is available in standard or flame retardant and we are able to custom print your logo up to 2 colours or digitally with unlimited colours, logos, images and text.

Surface



Protection

Surfaces such as kitchen worktops in particular can be expensive and therefore costly to replace if damage occurs. Our range of surface protection materials will ensure that a variety of surfaces are protected from impact and paint during your project.

Surface protection is available either in a variety of films; which is best suited for paint splashes or other water based substances, or as fluted polypropylene; which is better for risk of impact protection due to its thicker core. Other roll-out protection is also available with a variety of extra features such as fire resistance and breathability.

SURFACE PROTECTION OPTIONS

PRODUCT	Impact Resistant	Reusable	Water Resistant	Anti-slip	Self Adhesive	Cut to Size	Flame Retardant Option	Custom Printing Available
Multi Use Red™			V		~			>
MultiGuard™	V	V	V	V	>			
Protecta Fleece™	V		V		V			
Recyclo Card [™]	V	V	V					
Worktop Protector	V	V	V			>		>
Oven & Hob Protector	V	V	V			>		>
Sanitaryware Protection	V	V	V			>		>
Protecta Board [™] Sheets	V	V	V					>
			•	•				



WITEPMATIONAL



Multi Use Red[™]

Adhesive Multi Surface Protection Film

Quickly and simply applied to most hard surfaces Multi Use Red[™] allows you to efficiently and effectively protect kitchen worktops and units, tiled areas in your kitchen or bathroom and even sanitary ware!

Highly visible, puncture and tear resistant Multi Use Red[™] will protect your sensitive finished surfaces from dust, dirt and spills.

Being self-adhesive there is no need for any additional tape or fixings with Multi Use Red[™]. Simply roll out and smooth into place.

Prior to removal it can be swept or vacuumed to ensure there is no contamination of other surfaces. Our specially formulated adhesive ensures that there is no residue upon removal. Multi Use Red[™] can be left in place for up to 6 weeks. Protecta Screen[™] recommends you refer to instructions before use on any surface.

A truly multi-purpose product Multi Use Red[™] can also be used to protect your hard floor surfaces and stairs too. See our Stair and Floor Protection sections for more information.

Dimensions

600mm x 100m

600mm x 50m

Code

110-002

110-006

Self adhesive

Quick and easy application

Waterproof

PRODUCT OPTIONS

Variation

Standard

Colour

Red

- Hygienic
 - Customisation service available
- Can be left in place for up to
 6 weeks













MultiGuard[™]

Adhesive Multi Surface Protection Roll

PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
Standard	Grey	1m x 25m	107-004			
PRODUCT FEATURES						
Excellent impact protection						
Versa	tile					
Easily	applied					
Splash protection						
Reusable						
No extra fixing required						
Can be left in place for up to 4 weeks						

is suitable for use on a variety of surfaces. The product is easy to cut and shape to fit into the most awkward of areas making it an ideal product to use on difficult shaped surfaces.


MultiGuard[™] is a multi application product that


MultiGuard[™] is made from thick synthetic fibres making it an excellent product for impact protection creating a firm barrier against works and the protection of your surfaces. MultiGuard[™] is also 100% water resistant meaning it will provide brilliant protection from splashes and spills.

The specially formulated adhesive can stick to multiple surfaces without leaving any residue. The adhesive has also been designed to enable you to lift and reposition the product numerous times meaning that it can be used again and again. Also can be used for protection of Floors, Stairs, Windows & Doors - see relevent sections for more information.









Protecta Fleece[™]

Adhesive Waterproof Impact Protection Roll

Protecta Fleece[™] has a thick fibre layer which provides excellent impact protection for a variety of kitchen and bathroom surfaces, while the PE backing will also prevent damage from dust, dirt and spills.

This multi purpose protection is self adhesive so can be installed without the need for any additional fixing and will leave no residue on removal.

see relevent sections for more information.

	PRODUCT OF	PTIONS					
	Variation	Colour	Dimensions	Code			
	Standard	White	1m x 50m	108-008			
	Flame Retardant	Green	1m x 50m	108-004			
	Perforated	White	0.5m x 48m x 40 sheets	108-040			







- Self adhesive
- Quick & easy installation
- Waterproof
- Impact protection
- Available in Flame Retardant to Class Bfl-s1/DIN EN13501-1
- Can be left in place for up to 4 weeks





€ 01 830 22 50
 353-1-830 0770





Leave in place for up to 4 weeks before replacing. Also available in flame retardant. Can also be used as a floor or stair protection, please



Recyclo Card[™]

Waterproof Recycled Surface Protection Roll

PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
Standard	Black	1.25m x 40m	104-032			
Stair	BIACK	660mm x 40m	104-034			



PRODUCT FEATURES

- Waterproof
- Reusable
- Recyclable
- Impact resistant

Recyclo Card[™] is a roll out protection made from recycled carton packaging and is suitable for a wide range of applications.

This strong and durable material can be cut and shaped to easily fit into awkward spaces and once in place will provide excellent protection against dust, dirt, debris, splashes, scratches and scuffs. The PE coating on Recyclo Card[™] makes it 100% waterproof so will hold spills and protect and against wet foot traffic whilst also being easy to wipe clean.

Available in 2 sizes Recyclo Card[™] made from recycled materials and is 100% recyclable making it our most versatile eco-friendly product.

See our Floor Protection and Stairs sections for further applications.





Worktop Protector

Fluted Polypropylene Worktop Protection Cover

Protecta Screen's[™] Worktop Protector is made from fluted polypropylene sheeting so will provide excellent impact protection to worktop surfaces.

The product is 100% waterproof meaning the surface is protected for liquid spills as well.

PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
Standard	White	600mm x 2400mm x 2mm	115-026			

Worktop Protector is supplied pre-cut making it a time saving solution to protecting your worktops.



Oven & Hob Protector

Fluted Polypropylene Board Oven & Hob Protection Cover



PRODUCT OPTIONS							
Variation	Colour	Dimensions	Code				
Standard	White	585 x 830 x 605mm	126-040				

Oven & Hob Protector is a unique solution designed to protect the oven and hob whilst works are still being completed in the kitchen area.

Manufactured from pre-formed fluted polypropylene the Oven & Hob Protector will provide excellent impact protection for appliances that could be costly to replace if damaged. Easily fixing into place in seconds to provide long lasting protection. Once finished the product can be removed and stored to make use of again on the next project making the Oven & Hob Protectors a cost effective solution for the protection of kitchen appliances.



353-1-830 0770





Sanitaryware Protection

Fluted Polypropylene Sanitaryware Protection Cover

PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
Shower Tray		780mm x 780mm	126-002			
Toilet (Cistern)		480mm x 420mm & 240 x 420mm Cistern	115-016			
Toilet (Cistern Concealed)	White	480mm x 420mm	126-021			
Sink with Pedestal		560mm x 500mm & 740mm Pedestal	115-018			
Bath	1	695 x 1700mm	115-020			



PRODUCT FEATURES

- Easily assembled
- Impact protection
- Waterproof
- Reusable
- Recyclable
- Customisation service available



Our specially designed sanitary protection range will provide strong, lightweight protection for your toilet, sink, bath or shower. These pre-cut and scored protectors fold into shape with lockable tabs where required making them quick and easy to assemble on site.

Manufactured from heavy duty fluted polypropylene sheeting, our range of sanitary protection will provide excellent impact protection by encasing the object so creating a 3 dimensional barrier against common site damage, dirt, liquid and paint splashes. Once finished with the item can be stored to reuse again and again and once completely finished with can be fully recycled.

Customisation is available on request see page 52.







SURFACE PROTECTION





Sink and Toilet Handover Covers are ideal to use as protection from damage and dirt during refurbishment or renovation. Manufactured from lightweight fluted polypropylene, Protecta Screen[™] Handover Covers are a quick and easy solution for protecting newly installed or existing toilet and sink basins against damage or use whilst works are in progress.

Available in packs of 10 so can be used multiple times or in multiple bathrooms, Handover Covers provide a cost effective means of protecting your sanitary ware.

Customisation is available on request see page 52.

PRODUCT OPTIONS						
Variation	Variation Colour Dimensions					
Toilet	White	460mm x 335mm, Pack of 10	126-028			
Sink	VIIIce	600mm x 500mm, Pack of 10	126-030			
► The test of tes						
	M	ultipack				
	Ea	asy application				
	ln In	npact protection				
Waterproof						
Customisation service available						







Protecta Board[™] Sheets

Fluted Polypropylene Board

PRODUCT OPTIONS							
SHEET	Colour	Dimensions	Code				
2mm Compact	Black	2.4m x 1m	106-050				
2mm Standard	Black	2.4m x 1.2m	106-042				
2mm Translucent	Translucent	2.4m x 1.2m	106-046				
3mm Standard	Black	2.4m x 1.2m	106-034				
4mm Standard	Black	2.4m x 1.2m	106-038				
2mm Flame Retardant	White	2.4m x 1.2m	106-076				
3mm Flame Retardant	White	2.4m x 1.2m	106-016				
4mm Flame Retardant	White	2.4m x 1.2m	106-018				
2mm Flame Retardant	Black	2.4m x 1.2m	130-318				



PRODUCT FEATURES

- Impact protection
- Waterproof
- Recyclable
- Available in various thicknesses
- Flame Retardant options available
- Customisation service available




Protecta Board[™] is a fluted polypropylene sheet that can provide an easy solution for various surface protection requirements.


The product is available in various thicknesses depending on the level of protection required and can be easily cut or folded to a variety of shapes making it a versatile product for surface protection applications.

Being waterproof and impact resistant means that Protecta Board[™] can be used on a range of different surfaces to protect from knocks, scrapes and splashes.

Protecta Board[™] is a versatile product that can be used in many applications - see also Floor Protection and Windows & Doors sections.







External



Protection

Protecting the external works of your site is paramount for both the health and safety of the workers and the protection of the site assets such as Man Hole Covers and Demolition Film which serve the dual purpose of site protection as well as health and safety.

Many external site protection products also serve as a fantastic opportunity to provide advertising, due to the likelihood of general public exposure. Scaffold Sheeting, Debris Netting and Vented Tarpaulins are frequently branded with company logos to promote brand awareness for the construction site, all of which we commonly custom print for our customers.

EXTERNAL PROTECTION OPTIONS

PRODUCT	Impact Resistant	Reusable	Water Resistant	Self Adhesive	H&S Product	Site Screening	Flame Retardant Option	Custom Printing Available
Scaffold Sheeting			V		V	V	V	V
Debris Netting					V	V	>	
Tarpaulin		V	V					
Vented Sheeting						V	>	>
Mesh Tarpaulin						V		V
Hi Viz Scaffold Tubes	V	V	V		V			
Elasticated Ties		V	V					
Cable Ties			V					
Manhole & Meterbox Covers	V	V	V		V			
Demolition Film [™]			V	V				
Protecta Window™			V	V				>
Stone Sill Protector	V	V	V				>	
UPVC Sill Protector	V	V	~					
Temporary Down Pipe			~					





Scaffold Sheeting

Reinforced Eyeleted Scaffold Sheeting

PRODUCT OPTIONS						
SHEET	Colour	Dimensions	Code			
Standard	Translucent	2m x 45m	118-032			
Standard	Translucent	3m x 45m	118-034			
Flame Retardant	White	2m x 45m	118-028			
Flame Retardant	White	3m x 45m	118-030			




PRODUCT FEATURES

- Durable
- Fully Eyeleted
- Tear & punture resistant

Scaffold Sheeting is manufactured from high quality reinforced eyeleted polyethylene material which can be easily fitted to structures using our Elasticated Scaffold Ties or Cable Ties.

Scaffold Sheeting has a high tensile strength and is puncture and tear resistant making it an excellent product for protecting scaffolding structures during bad weather and containing site debris falling outside the work area.

Scaffold Sheeting is available in standard and flame retardant options and also available custom printed with your company logo or an image or your choice for additional advertising and exposure for your site or company.





Debris Netting

Heavy Duty Plastic Mesh Netting

Protecta Screen[™] Debris Netting is an open mesh material which reduces the wind loading on scaffold structures and mesh fencing.

The Heavy Duty fabric is fully eyeleted and lightweight making it easy to install using our Cable Ties. Debris Netting will help reduce the risk of debris falling outside the work area into the path of pedestrians or workers and is recommended as an effective means of site safety.

Where required Debris Netting can all be used on mesh fencing to create a screen between the site and the general public.

Available from stock in Blue and Green, other colours and Flame Retardant options are available on request.



PRODUCT OPTIONS Variation Colour Dimensions Code Standard Blue 2m x 50m 118-012 Green 2m x 50m 118-016



PRODUCT FEATURES

- Available in Green & Blue
- Other colours available on request
- Flame Retardant option available on request
- Site safety product





Tarpaulin

Waterproof Tear Resistant Eyeleted Tarpaulin





PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
		2.7m x 3.6m	118-044			
		3.5m x 5.4m	130-307			
Standard	Blue	4.5m x 6m	118-050			
		5.4m x 7m	118-052			
		9m x 14m	118-054			

Manufactured from woven polypropylene these general purpose eyeleted tarpaulins are waterproof and tear resistant.









Vented Sheeting

Vented Temporary Fencing Screen

	Colour	Dimensions	Code
Standard			Non
Flame Retardant	White	2m x 45m	Stock
2 MA	8		
PROD		URES	
Dura	able		
	able d proof		
Wine		r resistant	
Wine Pune	d proof		

Vented Sheeting is an interwoven mesh fabric designed to allow airflow through Temporary Fencing, whilst providing a barrier for your site. Our Vented Sheeting is durable and tear resistant ensuring a reduced risk of rips during strong winds and bad weather.

Attached using Cable Ties or Elasticated Scaffold Ties, the product is quick and simple to install and dismantle. Vented Sheeting has quickly become a popular product for custom printing by companies, especially on residential sites due to its opportunity for high brand exposure to the general public on fencing around site perimeters.

This easily printable product can provide an excellent visual barrier between a working site and residential or commercial areas.




Mesh Tarpaulin

Suitable for use with Temporary Fencing Panels

PRODUCT OPTIONS						
Variation	Colour	Dimensions	Code			
Standard	White Blue Green	1.80m x 2.35m	Non Stock			

Net Mesh Tarp for site privacy and advertising on temporary fencing panels. Comes with reinforced hem and metal eyelets.

Available in three colour: green, blue and white.



Hi Viz Scaffold Tubes

High Visibility Foam Scaffold Protection Tubes



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Yellow	2000mm Long	115-022	

Hi-Vis Scaffold Protection Tubes are designed to provide impact protection for pedestrians when applied to ground level Scaffold Poles.

They are pre-slit so are quick and easy to install, lightweight and reusable.

Elasticated Ties



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Pack of 100	Red/Black	260mm	118-020	

Elasticated Scaffold Ties are high quality elasticated 'bungee' ties for securing Scaffold Sheeting and Debris Netting.

Available in a pack of 100.

Cable Ties - Black



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Pack of 100	Black	3.8mm x 300m	785-08-95	

Manufactured from heat resistant nylon, cable ties are suitable for workshop, industrial and electrical applications.

Available in a pack of 100.







Man Hole & Meterbox Covers

High Visibility Man Hole & Meterbox Protection Covers

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Drain		350mm x 350mm x 50mm	118-006	
Manhole	Yellow	680mm x 680mm x 75mm	118-010	
Meterbox		440mm x 710mm x 70mm	118-002	

Caution Manhole Protecta Screen's[™] external covers for Drains, Meterboxes and Manholes are manufactured out of heavy duty, fluted polypropylene and coloured in high visibility yellow maximising safety for personnel on site.

These strong durable protectors are also lightweight and easy to assemble and can be flat packed away to reuse on future projects.

Manhole covers have the added benefit of being able to add additional weight by placing rubble or rocks within the cover to provide a secure hold.

All external covers are fully recyclable allowing the user to better control their carbon footprint by recycling once finished with.



Demolition Film[™]

Adhesive 'Shatter resistant' Glass Removal Safety Film

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Yellow	600mm x 50m x 150mu	111-100	



Demolition Film[™] is a specifically designed film to use when removing panels of glass from windows and doors.

The product is manufactured from a yellow heavy duty 150 micron film with a strong adhesive backing, which assists with the safe removal of glass

When applied to both sides of the glass, Demolition Film[™] helps reduce the risk of flying glass shards thus creating a safe environment for carrying out this task.

Due to its adhesive strength once applied Demolition Film[™] will become difficult to remove so should only be used on glass that is to be removed and replaced. Also see our External Protection section.



Protecta Window[™]

Adhesive Glass Protection Film

To ensure that your windows and frames are protected from paint and mortar splashes, that can lead to scratches and damage that may require the windows to be replaced, use Protecta Window[™] on the outside of windows as well as the inside!

Simply and quic	kly apply th	is low tack glass
-----------------	--------------	-------------------

protection film by hand, or for larger glazed areas using one of our specially designed applicators, and your windows will have an instant barrier from dirt, dust and splashes that cannot be avoided on a busy construction site.

UV protected, Protecta Window[™] is safe to use externally and will not leave residue upon removal. See also Windows & Doors section.

Protecta Window[™] can be left in place for up to 8-12 weeks. It is recommended to always read application instructions before use.

Protecta Window[™] is not suitable for use on self-cleaning glass.



PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Blue	600mm x 100m	111-008		
	Clear	600mm x 100m	111-010		



PRODUCT FEATURES

- Self adhesive
- Quick & easy installation
- Waterproof
- UV protected
- Translucent
 - Customisation service available



Protecta Window[™] Dispenser

Hand held roller with a neck strap, allows Protecta Window and other window films to be quickly applied to glass surfaces with ease.

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Dispenser	Black	600mm	111-006	



🜜 01 830 22 50

🖶 353-1-830 0770





Stone Sill Protectors

Foam Impact Protection for Stone Sills

Stone Sill Protector provides excellent impact protection for external stone window sills whilst also protecting from dust, dirt and debris found on site.

The thick foam tubing that can be cut size to and clipped into place with no additional fixing for simply installation.

Stone Sill Protector is 100% reusable so is a cost effective protection solution to move from site to site. Stone Sill protector is Flame Retardant to BS 476.



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Red	114mm x 2000mm x 13mm	102-004	



UPVC Sill Protector Foam Impact UPVC Sill Protection

UPVC Sill Protector works in the same way as our Stone Sill Protector and is designed specifically to protect UPVC sills from damage.

The UPVC Sill Protector is manufactured from high impact thick foam, that can be easily cut to length and is specially shaped to enable it to simply be clipped into place without the need for additional fixing.

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Blue	2000mm long	115-014	



Temporary Down Pipe

Temporary Drain Pipe is a heavy duty polythene sleeve that prevents water damage to masonry until the drain pipe is installed. It is simply installed by fixing with Cable Ties and can be easily removed prior to installing the permanent drain pipe.

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Clear	200mm x 300mm x 250 gauge	116-020		
ТМ					

Quick & Easy installation Waterproof

Traditional



Protection

Traditional Protection can be used in a variety of industries including; construction, interior design, painting and decorating and many more. Decorating can be messy business, and your belongings may be susceptible to damage should they not receive the correct protection. Traditional Protection could be the ideal solution for your protective needs.

Within the range of products we offer, Traditional Protection includes; bubble wrap, dust sheets, tarpaulins, cable ties etc. In many situations Traditional Protection can be an economically viable solution whilst retaining a degree of temporary protection.

FRADITIONL PROTECTION OPTIONS			
IRADITIONL PROTECTION OPTIONS		DDOTECTIO	N ODTIONS
	RADITIONL	PROTECTIO	N OPTIONS

PRODUCT	Impact Resistant	Reusable	Water Resistant	Splash Protection	General Purpose Use	Flame Retardant Option
Corner Protection	V	V	V	>	V	
Bubble Wrap Standard & FR	V		V	V	>	V
Tarpaulin		V	V	V	>	
Elasticated & Cable Ties			V		>	
Overshoes			¥		>	
Dust Sheets - Cotton, FR, Laminated		V	V	V	>	V
TPS Polythene			V	V	>	
DPM Polythene			V	~	>	
Pallet Wrap			V		>	
Protecta Cover™	V	V		/ 🗸		
Floor Card	~			V		
Corrugated Paper	~					
Wall Film				 Image: A start of the start of	>	







Foam Corner Protection

PRODUCT OPTIONS				
Variation Colour Dime		Dimensions	Code	
Standard	Blue	50mm x 50mm x 2m	115-004	

Foam Corner Protectors are a cushioned foam edge 90° protector which can be shaped easily to fit most edges. It is easily cut to size and offers impact protection.



PB Corner Protection

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	White	75mm x 75mm x 1.2m	115-003	

PB Corner Protectors™ are manufactured from Protecta Board™ fluted polypropylene. 75mm x 75mm x 1.2m. 3mm thick.



Cardboard Corner Protection

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Brown	75mm x 75mm x 2m	115-002	


Cardboard Corner Protectors are a pre-formed right angle suitable for protecting any 90° angle. It is quickly applied and offers impact protection.



Bubble Wrap Standard and Bubble Wrap FR

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Clear	1200mm x 75m	116-016	
Flame Retardant	White	1200mm x 100m	116-014	

Bubble Wrap can be used for wrapping fragile items, packaging and surface protection. Quick and easy to use, good impact and scratch resistance. Also available in Flame Retardant to LPS 1207 for added piece of mind.



Tarpaulin



Variation	Colour	Dimensions	Code
Standard	Blue	2.7m x 3.6m	118-044
		3.5m x 5.4m	130-307
		4.5m x 6m	118-050
		5.4m x 7m	118-052
		9m x 14m	118-054

PRODUCT OPTIONS

Manufactured from woven polypropylene these general purpose eyeleted tarpaulins are waterproof and tear resistant.

Elasticated Ties



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Pack of 100	Red/Black	260mm	118-020	

Elasticated Scaffold Ties are high quality elasticated 'bungee' ties for securing Scaffold Sheeting and Debris Netting - Pack of 100.

Cable Ties - Black



PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Pack of 100	Black	3.8mm x 300m	785-08-95	

Manufactured from heat resistant nylon, cable ties are suitable for workshop, industrial and electrical applications - Pack of 100.

Overshoes



PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Pack 50 pairs	Blue	One size fits all	135-11-38		

Polyurethane blend overshoe which securely fits over all footwear. Ideal for site visitors and clean environments.

() 01 830 22 50

353-1-830 0770





Dust Sheets: Cotton, Flame Retardant & Laminated

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Cotton	Beige	12' x 9' (3.6m x 2.7m)	130-305		
Flame Retardant	Beige	12' x 9' (3.6m x 2.7m)	130-004		
Laminated	White	3.6m x 2.7m	130-006		

Cotton Dust Sheets are perfect for protecting most surfaces from paint and dust etc when decorating or carrying out DIY work.

Our Flame Retardant Dust Sheets are recommended for building work or where there's likely to be more dust and rubble, they are also suitable for decorating. Flame Retardant to BS5438.

Laminated Dust Sheets are non-woven offering a lightweight protection against spills and dust.







TPS Protection Polythene

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Clear	4m x 25m	116-044		
	Clear	4m x 50m	116-056		

Lightweight general purpose protection polythene, it is ideal for draping or hanging over items for light protection from dust.



Polythene Sheeting

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
1000g	Black	4m x 25m	116-032		
1000g	Clear	4m x 25m	116-034		
1200g	Black	4m x 25m	116-036		



353-1-830 0770

Pallet Wrap and Pallet Wrap Dispenser



PRODUCT OPTIONS				
Variation Colour Dimensions Code				
Standard	Clear	400mm x 250m	116-050	

Used for wrapping and securing items in transit and protecting from dirt and damage.

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Dispenser	N/A	400mm Roll	116-048	

For use with pallet wrap. Makes it easier and quicker whilst wrapping your items.

Protecta Cover[™]

Protects against light impact, dust and dirty marks. It is completely re-usable and machine washable. This 2m x 3m Cover has a 'soft touch' finish making it suitable for use on sensitive surfaces.

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Standard	Blue	2m x 3m	126-080	







Floor Card

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Brown	1m x 100m	116-028		
Heavy Duty		1m x 50m	116-054		


Strong and durable Floor Card is an excellent protection solution for high foot traffic areas. Simply roll out, cut to size and tape into place, using an appropriate adhesive tape. Floor Card will provide an excellent anti slip surface protection on floors and stairs.



Corrugated Paper

PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code		
Standard	Brown	900mm x 75m	116-018		

A general purpose wrapping material made from lightweight fluted card with a paper backing. Provides excellect impact and shock absorbing protection.



Wall Film

Electrostatic Polythene (Cling) Film

PRODUCT OPTIONS				
Variation	Colour	Dimensions	Code	
Internal	Clear	2.1m x 30m	127-015	

Wall Film can be used internally to protect doors, windows and walls.

It has a low tack self adhesive strip which can be applied to the top of any surface, the electrostatic polythene will then "hang" and "cling" to the surface without the need of any additional tape or fixings.





Adhesive Tapes



Our range of adhesive tapes provide a solution for multiple situations and surface types, including joining tape, cloth tape, masking tape, PVC tape and much more. We have multiple types of tape available for construction, industrial and decorating requirements.

Custom printing is available on many of our tapes, giving your site the extra touch of personalisation and professionalism, please enquire if you are interested in having your adhesive tape branded with your company logo.

ADHESIVE TAPE OPTIONS

PRODUCT	High Tack	Low Tack	Water Resistant	Anti-Slip	Suitable for Finished Surfaces	Joining Tape	Flame Retardant Option	Custom Printing Available
High Tack Cloth Tape	>		V			>		
Super Low Tack Tape		V	V		V	>		
Flame Retardant Tape			V		V	>	V	
Standard Joining Tape	>		V			>		V
Masking Tape			V		V			
Packing Tape	>		V			>		
Carpet Safe Tape™		V	V		V	>		
Glass Safe Tape™		V	V		V	>		
Industrial Double Sided Tape	>		V					
Double Safe Tape	>	V	V		V			
Aluminium Foil Tape	>		V					
Site Tape™	>		V			>		
Self Adhesive Hazard Tape			V			V		
Barrier Tape			~					
Anti-Slip Tape	>			~				














High Tack Cloth Tape

Aggressive, high tack tape for non sensitive applications.



Flame Retardant PVC Tape

Suitable for joining standard and flame retardant protection materials together and to most finished surfaces.



Masking Tape

For traditional decorator's 'masking' applications.

Super Low Tack Tape

Extremely low tack for adhering to sensitive surfaces.



Protecta Screen Joining Tape

Joining Tape is designed for joining protection materials together. Can be custom printed with your own logo.




Packaging Tape (Brown)

Packaging Tape is a traditional packing tape for carton sealing and various applications.







Carpet Safe Tape™

Specially formulated tape to adhere protection materials directly to carpet without leaving residue upon removal.



Industrial Double Sided Tape

Industrial Double Sided Tape, is an aggressive high tack joining tape for strongly adhering protection materials together in non sensitive applications.



Glass Safe Tape™

Specially formulated tape to adhere protection materials directly to glass without leaving residue upon removal.



Double Safe Tape

Double Safe Tape is a low tack adhesive tape on one side - for adhering to most sensitive surfaces and the other side is high tack - for adhering to the protection product. .







🖸 Info@igoe.ie



Site Tape[™]

Site Tape[™] is a high tack adhesive tape designed for use in cold site conditions, it is ideal for joining protection materials together and to various surfaces.



Aluminium Foil Tape

Aluminium Foil Tape is for various non sensitive joining applications. Available in 50mm or 75mm wide.



Self Adhesive Hazard Tape

Self Adhesive Hazard Tape available in red and

white, and black and yellow.

Barrier Tape

Non-adhesive red and white Barrier Tape.






Anti-Slip Tape

Self adhesive Anti-Slip Tape suitable for indoor and outdoor application.

Ideal for use on ramps, steps and stair nosing to provide a non-slip surface.



353-1-830 0770

PRODUCT	PRODUCT OPTIONS					
Variation	Colour	Dimensions	Code			
High Tack Cloth Tape		50mm x 50m	121-004			
	Black	75mm x 50m	121-006			
		50mm x 50m	121-012			
	Silver	75mm x 50m	121-014			
		100mm x 50m	121-018			
		50mm x 50m	121-016			
	White	75mm x 50m	121-078			
Super Low	Black	50mm x 100m	121-044			
Tack Tape		75mm x 100m	121-046			
Flame Retardant	Black	50mm x 33m	121-028			
PVC Tape		75mm x 33m	121-030			
	White	50mm x 33m	121-034			
	White	75mm x 33m	121-036			
Protecta Scree Joining Tape	n Blue	50mm x 66m	121-086			
Masking Tape	Beige	50mm x 50m	121-050			
		75mm x 50m	121-052			
Packaging Tape	Brown	50mm x 66m	121-054			
Carpet Safe Tape™	Clear	100mm x 100m	121-076			
Glass Safe Tape™	Blue	100mm x 100m	121-084			
Industrial Double Sided Tape	Orange	50mm x 50m	121-008			
Double Safe Tape	Blue	50mm x 33m	121-022			
Aluminium	Silver	50mm x 45m	121-024			
Foil Tape		75mm x 45m	121-026			
Site Tape™	White	50mm x 33m	121-068			
Self Adhesive Hazard Tape	Black / Yellow	50mm x 33m	121-040			
	Red / White	50mm x 33m	121-038			
Barrier Tape	Red / White	75mm x 500m	130-285			
Anti Slip Tape	Black	50mm x 18m	122-008			
	Black / Yellow	50mm x 18m	122-016			
Custom	Various	50mm	Non			
Printed Tape		75mm	- Stock			
Таре	N/A	50mm Tape	121-080			
Applicator Gun			.2. 000			

Custom Printed Tape

Custom printing is available on many of our tapes, giving your site the extra touch of personalisation and professionalism,

Please contact us if you are interested in having your adhesive tape branded with your company logo and contact details.



Tape Applicator Gun

Our adhesive tape dispensers are quick and easy to load. These are made from metal and high impact plastic which makes them very durable. Available to suit 50mm and 75mm tapes.





🖾 Info@igoe.ie



Packaging Supplies

Our range of packaging supplies gives you options to protect your goods during storage and when they are being despatched from one location to another, providing cost-effective solutions for your everyday requirements.

Double Wall Cardboard boxes

PRODUCT OPTIONS

Dimensions (Imperial)	Dimensions (Metric)	Board Grade	Code
12 x 12 x 12	305 x 305 x 305	125k/bc/125t	116-100
16 x 16 x 16	406 x 406 x 406	125k/bc/125t	116-104
18 x 12 x 12	457 x 305 x 305	125k/bc/125t	116-102
18 x 18 x 18	457 x 457 x 457	125k/bc/125t	116-106
24 x 18 x 18	610 x 457 x 457	125k/bc/125t	116-108



Our double wall cartons have immense strength and sturdiness.

Two rows of internal fluting are incorporated to make sure your goods are thoroughly protected within resilient board whilst in transit or in storage.

82



Documents Enclosed Envelopes



PRODUCT OPTIONS

Internal Dimensions (Metric)	Envelopes Per Box	Size in A	Code
225 x 160	500	A5	116-114
160 x 110	1000	A6	116-112
110 x 95	1000	A7	116-110

Document Enclosed Envelopes will protect your documents when sending them with a courier or through the postal service.

Bubble Lined Bags



PRODUCT OPTIONS				
Internal Size (Metric)	Envelopes Per Box	Size	Code	
125 x 210	100	B/00	116-116	
180 x 245	100	D/1	116-118	
215 x 320	100	F/3	116-120	
275 x 345	100	H/5	116-122	

Our Gold Bubble Lined Bags are available to use for many different types of products.

Featuring a self seal strip for efficient closure, this paper bonded to bubble will give great performance and security.

Polypropylene Strapping and Supplies



PRODUCT OPTIONS					
POLYPROPYLENE STRAPPING					
Width in mm	Thickness in mm	Length in metres	Breaking Strength	Code	
12 0.9		1000	300kg	116-124	
ING SEALS	5				
Dimensions in mm		Seal Type		Code	
12 x 25		Semi - Open		116-128	
12mm STRAPPING TOOL					
12mm Combination Tool				116-126	
12mm STRAPPING KIT					
 x 12mm Combination Tool x 800m x 12mm Strapping Reel (Minimum 120kg breaking strength - white) x Semi - Open Seals 				116-130	
	OPYLENE Width in mm 12 NC SEALS Dimens in mm 12 x 25 TRAPPINC TRAPPINC 20mbination TRAPPINC 20mm Con 00m x 12 Minimum	OPYLENE STRAPPING Width in mm Thickness in mm 12 0.9 NC SEALS Dimensions in mm 12 x 25 Image: Colspan="2">Combination Tool TRAPPINC TOOL Tool TRAPPINC KIT Combination Tool TRAPPINC KIT Combination Tool TRAPPINC X12mm Strapping Minimum 120kg break	DPYLENE STRAPPING Width in mm Thickness in metres Length in metres 12 0.9 1000 NC SEALS Seal Type Dimensions in mm Seal Type 12 x 25 Semi - Ope TRAPPINC TOOL Semi - Ope Ombination Tool TRAPPINC KIT 2mm Combination Tool Sombination Tool 00m x 12mm Strapping Reel Minimum 120kg breaking strength	DPYLENE STRAPPING Width in mm Thickness in metres Length in metres Breaking Strength 12 0.9 1000 300kg NC SEALS Seal Type Image: Seal Type Image: Seal Type 12 x 25 Semi - Open Semi - Open TRAPPINC TOOL Trapping Reel Ombination Tool Ombination Tool Combination Tool Ombination Tool Open Strapping Reel Minimum 120kg breaking strength - white)	



🖾 Info@igoe.ie



For help, information, a demonstration, site visit or sample please contact us.



IGOE INTERNATIONAL LTD

Tel: 01 830 22 50 Fax: 353-1-830 0770

Website: info@igoe.ie

135 Slaney Road, Dublin Industrial Estate Glasnevin, Dublin D11 AW6D